

DERWENT-ACC-NO: 2003-399906

DERWENT-WEEK: 200415

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Squeal noise-preventing device of vehicle

INVENTOR: KIM, J G

PATENT-ASSIGNEE: HYUNDAI MOTOR CO LTD [HYUNN]

PRIORITY-DATA: 2001KR-0044125 (July 23, 2001)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES MAIN-IPC		
KR 401869 B	October 17, 2003	N/A
000 B60T 017/00		
KR 2003009605 A	February 5, 2003	N/A
001 B60T 017/00		

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
KR 401869B	N/A	2001KR-0044125
July 23, 2001		
KR 401869B	Previous Publ.	KR2003009605
N/A		
KR2003009605A	N/A	2001KR-0044125
July 23, 2001		

INT-CL (IPC): B60T017/00

ABSTRACTED-PUB-NO: KR2003009605A

BASIC-ABSTRACT:

NOVELTY - A squeal noise-preventing device of a vehicle is provided to continuously suppress squeal noise of a brake system in spite of wear of a disk and a pad or vibration characteristics of the brake system.

DETAILED DESCRIPTION - A squeal noise-preventing device of a vehicle comprises a brake-working sensor(9) for sensing braking; a vehicle speed sensor(10) for

**Best Available Copy**

sensing the braking conditions if squeal noise is generated; a hydraulic sensor(11); a temperature sensor(12); an electronic control unit(6), monitoring the squeal noise-generating conditions from the sensors and deciding squeal noise-generating condition if the same condition reappears; a hydraulic control unit(5) of ABS operating solenoid valves(4) installed on a brake oil line by a signal of the electronic control unit in case of squeal noise-generating condition; and the solenoid valve, transmitting and shutting off brake oil so that a discontinuous braking action is generated from brake assemblies(3) by the hydraulic control unit. Accordingly, squeal noise is prevented and unpleasantness of passengers by the squeal noise is prevented.

CHOSEN-DRAWING: Dwg.1/10

TITLE-TERMS: SQUEAL NOISE PREVENT DEVICE VEHICLE

DERWENT-CLASS: Q18 X22

EPI-CODES: X22-C02C3;

